



CHARACTERISTICS

- Natural acidic cleaning product based on plant-based additives that loosen dirt from surfaces
- Self-cleaning: scrubbing or a high-pressure cleaner is not required
- Composed of >90% natural raw materials and is >90% biodegradable

APPLICATIONS

- Removes contamination, green staining, and atmospheric deposits on flat and sloped roofs, facades, terraces and garden furniture.

TECHNICAL CHARACTERISTICS

Application temperature	+8°C - +35°C
pH	4.5
Shelf life of unopened product	24 months
Storage conditions	Transport and store upright in a dry, cool place at +5°C to +25°C.

PACKING AND COLOURS

bottle 5l - 96 pieces/pallet

Milky/transparent

bottle 20l - 24 pieces/pallet

Milky/transparent

METHOD OF USE

Preparation

- The surfaces must be solid, dry and free of dust and grease.
- Remove any water, water film or raindrops. The best adhesion is obtained on a dry surface.
- Shake vigorously before use.
- For a faster and more effective result, remove large accumulations of dirt manually.
- Remove any water, water film or raindrops. The best adhesion is obtained on a dry surface, however the surface does not have to be completely dry (except on stone substrates: these surfaces must be completely dry before application).

Application

- Apply with a brush.
- Apply with a sprayer.
- Allow the product to work, the cleaning happens on its own (no scrubbing). The result becomes noticeable after 24 hours to a few days.

This technical data sheet replaces all previous editions. The data on this sheet have been compiled according to the last laboratory report. Technical characteristics can be changed or adapted. We are not responsible for any incomplete information. Before use, one needs to ensure that the product is suitable for his application. Therefore, tests are necessary. Our general conditions apply

Consumption

Depending on the level of contamination, 5-10 m²/l.

Cleaning

- Clean tools with water.

POINTS OF ATTENTION

- Do not apply in the case of risk of rain and frost.
- Do not apply in direct sun.
- Not suitable for limestone-containing materials such as bluestone, natural stone...
- Not suitable for all types of powder coating. Test compatibility with powder coatings in an inconspicuous area before use.
- A preliminary test is recommended for mineral plaster (calciferous) due to the risk of staining or deterioration of the plaster due to the acidic nature of Green Cleaner. There are no issues with synthetic plaster.

This technical data sheet replaces all previous editions. The data on this sheet have been compiled according to the last laboratory report. Technical characteristics can be changed or adapted. We are not responsible for any incomplete information. Before use, one needs to ensure that the product is suitable for his application. Therefore, tests are necessary. Our general conditions apply