

CHARACTERISTICS

- Universal powerful multi-purpose cleaner
- Ready to use
- Cleans and degreases
- Cleans without rubbing in most cases
- With fresh scent
- Non-flammable and not classified as hazardous according to CLP: a safer alternative to
- solvent-based cleaners such as kerosene, trichlorethylene, benzene, white spirit, etc.
- On waterbase

APPLICATIONS

- Removing uncured sealant, adhesive residue, non-dried paint, ink, all oils and fats (mineral, vegetable and animal), organic pollution, nicotine, carbon deposits, fungi and other stubborn dirt.
- Cleaning of floors, walls and other surfaces made of concrete, rubber, natural stone, plastic, metal, PVC, epoxy, tiles, wood ...
- Cleaning of machines and machine parts, engines, vehicles and vehicle interiors (car, bicycle, motorcycle, caravan, buses, boats, truck tarpaulins ...), carbon deposits after fire, extraction systems, cooker hoods...
- Suitable for lightly and heavily polluted surfaces and parts.
- Can be used in various industries: automotive, petrochemical, cosmetics, printing, pharmaceutical, industrial cleaning, construction, transport, marine, food industry (always rinsing with potable water), etc.
- Degreasing of surfaces before gluing, sealing, coating...

TECHNICAL CHARACTERISTICS

Chemical base	Isopropanol in aqueous solution
Physical state (20°C)	Liquid
Colour	Yellow
Scent	Citrus
pH at 20°C	9
Solubility	Water
Shelf life in unopened packaging when stored between +5°C and + 25°C	2 years

PACKING

14 spray bottles of 500 ml / box – 48 boxes / pallet
12 spray bottles of 1 I / box – 45 boxes / pallet

METHOD OF USE

Application

- Multi-Purpose Super Cleaner does not need to be diluted.
- Multi-Purpose Super Cleaner can only be used manually in an spray or nebulizer under low pressure.
- Spray evenly on the dirty surface, from bottom to top if horizontal.
- In case of heavy pollution, let the cleaner work in it, without letting it dry. Sand with a semi-hard brush if necessary.
- Remove dirt manually with an absorbent cloth.
- If necessary, rinse or spray with water.
- Repeat the treatment if necessary.

This technical data sheet replaces all previous editions. The data on this sheet have been compiled according to the last laboratory report. Technical characteristics can be changed or adapted. We are not responsible for any incomplete information. Before use, one needs to ensure that the product is suitable for his application. Therefore, tests are necessary. Our general conditions apply.



DL Chemicals nv Roterijstraat 201-203 - Zone 5 Snepbeek - 8793 Waregem - Belgium T +32 56 62 70 51 - F +32 56 60 95 68 info@dl-chem.com - www.dl-chem.com