



## CHARACTERISTICS

- Cleaning agent
- Solvent-based
- Very powerful cleaner. Extended use may affect PVC.

## APPLICATIONS

- Not suitable for rust stains
- Can be used to remove the following dirt: asphalt marks, grease marks and all persistent dirt
- On white rigid PVC materials and other synthetic material

## TECHNICAL CHARACTERISTICS

Density (g/ml)	0.87
Consistency	Liquid
Smell	Characteristic
Explosive limits in the air (v/v)	2 - 12%
Cooking interval	75 - 85°C
Flash point (CC, degrees C)	-4
Self-ignition temperature	425°C
Shelf life of unopened product	36 months
Storage conditions	Store in a dry, cool place at +5°C to +25°C. Keep out of direct sunlight.

## PACKING AND COLOURS

**bottle 25l - 26 pieces/pallet**

**12 x spray can 400ML/box - 720 pieces/pallet**

**15 x bottle 500ML/box - 720 pieces/pallet**

**2 x bottle 5L/box - 240 pieces/pallet**

## METHOD OF USE

### Preparation

- It is recommended to carry out tests on every surface before use.

### Application

- We recommend to do a preliminary test, in order to determine whether the product is suitable for the application. Aerosol 400 ml
- Shake the can well
- Spray the product on the surface from a distance
- Rub shortly in regular movements in order to remove the dirt

This technical data sheet replaces all previous editions. The data on this sheet have been compiled according to the last laboratory report. Technical characteristics can be changed or adapted. We are not responsible for any incomplete information. Before use, one needs to ensure that the product is suitable for his application. Therefore, tests are necessary. Our general conditions apply

- Then polish with a clean and dry cloth. Can 5 l and 25 l
- Remove dirt and scratches by means of a cloth lightly soaked with PVC Cleaner 2575 Strong
- Rub shortly in regular movements in order to remove the dirt
- Polish with a clean and dry cloth

## **SAFETY**

Consult the safety information on the packaging and the safety data sheet for more information.

This technical data sheet replaces all previous editions. The data on this sheet have been compiled according to the last laboratory report. Technical characteristics can be changed or adapted. We are not responsible for any incomplete information. Before use, one needs to ensure that the product is suitable for his application. Therefore, tests are necessary. Our general conditions apply