

## CE Declaration of Performance (DoP)

N° MP0120060

In accordance with annex III of the EU regulation 305/2011

1. Unique identification code of the product-type:

### **Parafoam Insulation NBS**

2. Type, batch or serial number, or any other element allowing identification of the construction product as required pursuant to Article 11 (4):

**Batch number: See entry on packaging**

3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

**Thermal insulation of walls, ceilings, roofs and floors, to be used as a non-load bearing material - EN 14315-1:2013**

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11 (5):

**DL CHEMICALS  
Roterijstraat 201-203  
B 8793 Waregem**

5. Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12 (2):

**Not applicable**

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

**System 3**

7. In case of the declaration of performance concerning a construction product covered by a harmonized standard:

**The notified body *FUNDACION TECNALIA RESEARCH & INNOVATION*, identification number *NB 1292*, performed the determination of the product type based on type testing under system 3 and issued: a test report**

8. In case of the declaration of performance concerning a construction product of which a European Technical Assessment has been issued:

**Not applicable**

## CE Declaration of Performance (DoP)

N° MP0120060

In accordance with annex III of the EU regulation 305/2011

9. Declared Performances:

Essential characteristics	Performance	Technical harmonised specification
Reaction to fire (classification according EN 13501-1:2007)	Class F	EN 14315-1:2013
Release of chemicals dangerous to the environment and health	NPD	
Water and air tightness		
Thermal conductivity $\lambda$	0,033 W/(m·K)	
Water vapour diffusion resistance $\mu$	58	
Compressive strength	NPD	

10. The performance of the product identified in points 1 & 2 is in conformity with the declared performance in point 9.  
This declaration of performance is issued under the sole responsibility of the manufacturer identified under point 4.

Signed for and on behalf of the manufacturer by



Joris Van Hoey  
Quality Control Manager

Waregem – September 2023